Kent Coffin Bollard







KENT COFFIN BOLLARD - KCB101/3/FT

Specify:

Kent Coffin Bollard KCB101/3/FT; Kent Coffin Bollard KCB-KFTB-101/3; 35.43" (900mm) Overall Height above GL; 0.11" (3mm) thick wall; Grade 316L Stainless Steel; Bright Satin finish; 6.85" (174mm) deep storage chamber; B125 Chequer loading lid.


Description:

The Kent Coffin Bollard is manufactured from Grade 316L Stainless Steel, 3.97" (101mm) diameter with a 0.11" (3mm) thick wall. It has a Bright Satin Finish as standard. The standard Height above GL is 35.43" (900mm) with a 6.85" (174mm) deep Coffin. The lid of the chamber is manufactured for B125 loading. The cover is Chequer Plate for slip resistance and the chamber contains a drainage outlet connection. The Dome Top Bollard (KDTB-101/3) can be changed to suit to other Bollard options.

Features:

- Grade 316 Stainless steel
- Fits 101mm dia Bollard
- Easily detached from Coffin if damaged
- Satin Finish 320 Grit Polish
- Chequer plate top on Coffin
- Multiple Bollard caps available






Product Code	Height Above GL	Depth	Width	Length	Bollard Dia
Kent Coffin Bollard - KCB101/3/FT	900mm	174mm	225mm	1073mm	101mm



Specify:





Maintenance of Stainless Steel

Clean the stainless steel components using warm water with a mild detergent with a non-abrasive cloth or sponge. Heavier stains may require the use of a nylon-scouring pad or a stainless steel cleaner.

To remove paint or graffiti use a cloth and Alkaline or solvent paint strippers according to type of paint. In the case of a bead blasted finish, where abrasive cleaning is required, always use a random circular rubbing action with a cloth.

In the case of brushed finishes the surface consists of uniform fine 'scratches' running in one direction so where abrasive cleaning is required always use a straight back and forward rubbing action in the direction of the grain using soap and warm water.

Rust spots or 'tea stains' can occur on the surface of the material, these are normally caused by contamination from ordinary mild steel, particularly in areas where construction work has been undertaken. Such stains can be removed using Rust Remover 410.

In cases where the surface is severely stained because of severe environmental conditions or scratched due to misuse, it may still be possible to restore the original finish using chemicals such as Oxalic Acid solution. There are many stainless steel polishes available to enhance the surface finish.

We recommend Mister Stainless Ltd. as a provider for stainless steel cleaning products.




KENT COFFIN BOLLARD - KCB101/3/FT



Installation of Coffin

Coffin Bollard

- 1. Remove Pavement and excavate a hole to minimum dimensions of L1073 x W225mm x D143mm.
- 2. The Coffin Bollard should be bolted with 4no. M10 bolts into a existing Concrete block under ground .(Size Specified by engineer)
- 3. The drainage point should not be set into concrete. This should be connected to a drainage system or have efficient space to disperse water.
- 4. Re-instate the concrete around the base of the Coffin.
- 5. Apply the paving and make sure it is well bedded in.





Testimonials



"We have no hesitation in recommending Kent Stainless and look forward to working with them on public building projects in the future"

- ARUP



"Kent Stainless scored highly in all regards again"

- BAM



"Your timely delivery and seamless integration with main contractor Skanska made the overall project a huge success"

- Forward Swindon



