## Kent Surface Mount Corner Guard









## **KENT CORNER GUARD**


Kent Corner Guards (KCG) are designed for areas that are unprotected or that have already been damaged.

The speed and ease of fixing make it the ideal choice, avoiding the necessity for expensive renovation work.

The two basic corner guard options available are Screw fix (includes countersunk drilled holes) or Glue on (strong adhesive recommended)


## **Features:**

- 0.07" (2mm) or 0.11" (3mm) thick steel
- Satin finish 320 Grit polished
- Screw fix as standard
- Grade 304L stainless steel
- Easy to maintain & clean



Product Code	Length	Wing A	Wing B
Kent Corner Guard KCG 50	39.37" (1000mm)	1.96" (50mm)	1.96" (50mm)
Kent Corner Guard KCG 60	39.37" (1000mm)	2.36" (60mm)	2.36" (60mm)
Kent Corner Guard KCG 75	39.37" (1000mm)	2.95" (75mm)	2.95" (75mm)
Kent Corner Guard KCG 80	39.37" (1000mm)	3.14" (80mm)	3.14" (80mm)
Kent Corner Guard KCG 100	39.37" (1000mm)	3.93" (100mm)	3.93" (100mm)

* Up to 118.11"	(3000mm)	available
-----------------	----------	-----------



## **Maintenance of Stainless Steel**

Clean the stainless steel components using warm water with a mild detergent with a nonabrasive cloth or sponge. Heavier stains may require the use of a nylon-scouring pad or a stainless steel cleaner.

To remove paint or graffiti use a cloth and Alkaline or solvent paint strippers according to type of paint. In the case of a bead blasted finish, where abrasive cleaning is required, always use a random circular rubbing action with a cloth.

In the case of brushed finishes the surface consists of uniform fine 'scratches' running in one direction so where abrasive cleaning is required always use a straight back and forward rubbing action in the direction of the grain using soap and warm water.

Rust spots or 'tea stains' can occur on the surface of the material, these are normally caused by contamination from ordinary mild steel, particularly in areas where construction work has been undertaken. Such stains can be removed using Rust Remover 410.

In cases where the surface is severely stained because of severe environmental conditions or scratched due to misuse, it may still be possible to restore the original finish using chemicals such as Oxalic Acid solution. There are many stainless steel polishes available to enhance the surface finish.

Kent Stainless Ltd Ardcavan, Wexford, Ireland

TEL NO: UK FREEPHONE: FAX: WEB: EMAIL: +353 53 9143216 0800 376 8377 +353 53 9141802 www.kentstainless.com info@kentstainless.com

