



Kent Dunbrody Street Light



Kent Dunbrody Street Light KDSL8500

Specify:


Kent Dunbrody Street Light KDSL8500; 8500mm High; Grade 316L Stainless Steel; Bright Satin Finish; Buried Flange.

The Kent Dunbrody Street Light pole is constructed from Grade 316L Stainless Steel. It features an interface for lighting at 2 positions on the pole. One light is positioned at a lower position to facilitate pedestrian users on walkways below, and on the opposite side at a higher position there is another light to facilitate road traffic. The poles were designed to incorporate banner display areas for advertising and also have an extra socket towards the top to allow for extra lighting and optional speakers if required.

In 2013, 12 of these Light Poles were installed in New. Ross, Co. Wexford, as part of the town regeneration. 2013 saw an investment to commemorate the 50th Anniversary of the visit of John F. Kennedy to his ancestral homestead.

Features:


- Grade 316L Stainless Steel
- Integrated banner display brackets
- Bright Satin finish
- 2 light brackets
- Banner Bracket
- Speaker Socket



Kent Dunbrody Street Light KDSL/8500

Product Dimensions:

Reference	Height	Diameter
Kent Dunbrody Street Light (KDSL8500)	8500mm	168mm



Kent Light Rail Advertising Totem KAT 4000

Overview

The Dunbrody Street Light pole is constructed from Grade 316L Stainless Steel. It features an interface for lighting at 2 positions on the pole. One light is positioned at a lower position to facilitate pedestrian users on walkways below, and on the opposite side at a higher position, there is another light to facilitate road traffic. The poles were designed to incorporate banner display areas for advertising and have an extra socket towards the top to allow for extra lighting and optional speakers if required.

Maintenance

How often?

For an area that receives regular rainfall that washes away the build up of salt deposits, cleaning should be done once a year. If rainfall cannot get to certain areas, but still salt and pollution deposits can blow onto it (e.g. the underside of a tram shelter) then cleaning should be done 1-2 times a year in urban environments and 3-4 times a year in marine environments. In a particularly severe environment with pollution and salt deposits and wind with little rainfall, cleaning should be done 4-12 times per year.

Judge your cleaning regime by the nearby glass panels or window cleaning and clean the stainless as often as the glass nearby.

How do I do it?

For regular cleaning, and for a preventative regime, a simple wipe down by soft cloth or sponge with a mild detergent is enough (e.g. 5% dilution of wash-up liquid). Rinse off with de-ionised water or bottled drinking water is fine if this is not readily available. Rub dry with a clean dry cloth rather than letting the product drip dry.

If staining does not disappear, switch the soft cloth to a pad of Scotchbrite™ from 3M™. Use the soapy water with Scotchbrite™ vigorously on areas that are unpolished or not architecturally important. For polished areas of products with a grain (e.g. Satin Finish 320 Grit Polish), rub gently forwards and backwards only in the direction of the grain direction so proceed with caution if this is an architecturally important feature.

Again – rinse with de-ionised water and dry with a soft cloth. For heavier staining or contamination by iron products Kent recommend Avesta cleaning chemicals. Cleaner Avesta 401™ can be used instead of the mild detergent as above. Avesta 420™ Fingerprint remover is a good cleaner to for areas prone to public fingerprints – it must be sprayed on and rubbed in while wet.

Pickling Gel Avesta 130™ (hazardous) and Passivator Avesta 630™ can be used for large, important features, but these should be discussed and a method statement is available from Kent Stainless for their use. This work can be sub-contracted to Mister Stainless™ in Ireland and Edimex™ in Dubai.

**Kent Dunbrody
Street Light
KDSL8500**

